



IID-SGT200

Swing Turnstile

Brief introduction

Made of 304 stainless steel, swing turnstile with nice and elegant shape, antirust ,durable, Resistant to external damage. Rectangular box and brake lever to be a passage, provide orderly passage to people. Prevent illegal in and out. Arms off in emergency case .This item is widely used in station, subway, factory, office building, intelligent community, hotel, clubs, enterprise ,etc.

Turnstile can integrated with various kinds of identification technologies, Sush as RFID reader, 2D bar code, Fingerprint reader, Face Recognition.

Swing turnstile divided into 3 kinds of motor:1)Brush Motor 2)Brushless Motor 3)Servo Motor

Sliding Turnstile

Technical Data

Size	1400*140*1000mm
Housing material	SS304
Pass Speed	35 persons/min
Working temperature	-35°C -55°C
Gross weight	65KG
Passage width	600-900mm
Power supply	110-220V 50/60Hz
Motor voltage	DC24V
Working environment	Better for indoor
Working humidity	≤95% coagulation free
Open while power off	Yes
Working movement:	DC24V Motor
LED light	direction arrow
Normal running life	5 million



Standard Functions & Features

1. Alarm function: when arms are pushed by force illegally, alarm will be triggered automatically and arms will be set locked.
Turnstile can check by itself when it is have problem, it is good for customer to maintain and use
2. Turnstile can setting the working condition by press the button of main control board.
3. Anti-pinch function: turnstile have Mechanical/ infrared induction Anti -pinch functions(when it is meet the hinder during the reset time, the electrical machine closed work automatically in specified time, the turnstile will default the delayed and reset again till reset succeed)
4. The turnstile will closed the door when somebody enter the gate illegal, Tailgating or break into negative direction gate.



www.iid2secure.nl
 Extra Benefits, Less Price
 Finestrat,19, 03530 La Nucia, Alicante, Spain
 © IID Secure Tech S.L.U. 2019

Heemtedestraat 16 Amsterdam, Netherlands
 Support@iid2secure.nl
 +31614762425
 Data Subject to change without notice

5. Before received the open signal, the turnstile will lock automatically
6. The arm have the collision avoidance function: when the turnstile arm closed, if it is under the collision, the arm will open to protect the Transmission of inner machine.
7. Automatic Reset Functions: after you swap the card, during the specific time (the system is 10s), if you didn't pass the turnstile, the system will cancel your authority automatically to pass the gate, (reset time is 1~60s you can adjust it what time is suit for you). totally meet the fire protection needs
8. Infrared reset function (Optional:4 pairs or 6 pairs Infrared)
9. The turnstile can work with door access control system/ consumption system /biometric recognition system/ ESD system and so on
10. The turnstile is bidirectional (pedestrian can enter and exit from one pair of turnstiles)
11. Can manager and long-range control the turnstile directly by managing the computer.
12. Flashing light prompt function: it is convenient to find the turnstile problem by administrative





