



64CH 4K Network Video Recorder



Key Features

- Input: Max. 64CH;
- Support (two-way) Audio
- HD Output: 4K (3840x2160)/30Hz
- Video Compression: H265/H264/H265+/H264+



www.iid2secure.nl
Extra Benefits, Less Price
Finestrat,19, 03530 La Nucia, Alicante, Spain
© IID Secure Tech S.L.U. 2019

Heemtedestraat 16 Amsterdam, Netherlands
Support@iid2secure.nl
+31614762425
Data Subject to change without notice



| Specification | |
|----------------------------|---|
| Model NO. | NVR64C0P12M8S |
| System | |
| Main Processor | Quad Cortex A53 |
| Operating System | Embedded LINUX |
| Video | |
| Input | 64ch(12MP/8MP/6MP/5MP/4MP/3MP/1080p/1280x1024/960p/720p/D1/CIF) |
| Output | 2*HD,1*VGA |
| Audio | |
| Input | 1 Port RCA, support 64CH IPC audio input |
| Output | 1 Port RCA(Linear, 1kΩ), HD output |
| Audio Bit Rate | 64kbps |
| Audio Compression standard | G711U, G711A, AAC |
| Intercom | support (two-way) |
| Alarm | |
| Sensor Input | 16CH |
| Output | 4CH |
| Motion Detection | 64Channel, MD Zones: 396 (22 × 18) |
| Trigger Events | Recording, Email, FTP, Snapshot, Buzzer and Screen Tips, alarm output |
| Display | |
| HD Output1 | 4K(3840*2160)/2K(2560*1440)/1920*1080/1280*1024/1280*720/1024*768 |
| HD Output2 | 1920x1080, 1280x1024, 1280x720z, 1024x768 |
| VGA | 1920x1080, 1280x1024, 1280x720, 1024x768 |
| Display Split | HDMI1/VGA: 1/4/6/8/9/16/25/36/64 HDMI2: 1/4/6/8/9/16 |
| Digital Zoom | YES |
| OSD | Camera Title, Time, Recording, Motion Detection, Event Alarm |
| Recording | |
| Video Compression | H265/H264/H265+/H264+ |
| Resolution | 12MP(4000*3000),8MP(3840*2160),6MP(3072*2048),5MP(2592*1944),4MP(2688*1520/2560*1440),3MP(2048*1536),1080P(1920*1080),1280x1024,960P(1280x960),720P(1280*720),960H(960x480)D1(720*576/720*480) |
| Record Rate | PAL: 12MP@64CHx25fps,8MP@64CHx25fps,5MP@64CHx25fps,4MP@64CHx25fps,3MP@64CHx25fps,1 080P@64CHx25fps, 960P@64CHx25fps,720P@64CHx25fps, D1 @64CHx25fps NTSC: 12MP@64CHx30fps,8MP@64CHx30fps,5MP@64CHx30fps,4MP@64CHx30fps,3MP@64CHx30fp, 1080P@64CHx30fps, 960P@64CHx30fpss, 720P@64CHx30fp, D1 @64CHx30fps |
| Record Mode | Manual\Timer\Motion Detection\ Alarm\Smart Event |



www.iid2secure.nl
 Extra Benefits, Less Price
 Finestrat,19, 03530 La Nucia, Alicante, Spain
 © IID Secure Tech S.L.U. 2019

Heemtedestraat 16 Amsterdam, Netherlands
 Support@iid2secure.nl
 +31614762425
 Data Subject to change without notice



| Playback & Backup | |
|------------------------------|--|
| Local Sync Playback | 2CH 12MP@30fps,4CH 8MP@30fps,6CH 5MP@30fps,8CH 4MP@30fps, 16CH 1080P@30fps, 16CH 960P@30fps, 16CH 720P@30fps,16CH D1@30fps |
| Decode Capability | 1080P(1920x1080)@480fps |
| Remote Sync Playback | YES |
| Search Mode | ALL, Timing Video, Motion Detection, Alarm, Tag search, Smart Event, Picture, Log |
| Playback Functions | Play, pause, fast forward, rewind, previous frame, next frame, electronic zoom, clip, audio |
| Backup Mode | USB Device/Network |
| Network | |
| Interface | 2xRJ45 10M/100/1000MAdaptive Ethernet Interface |
| Incoming Bandwidth | 640Mbps |
| Outgoing Bandwidth | 512Mbps |
| Network Functions | IPv6,TCP/IP, HTTP,HTTPS, UPnP, DNS, NTP, SMTP, DHCP, FTP, DDNS, RTSP, RTCP, p2p,PPPOE |
| Onvif | Profile S, Profile G, Profile T |
| Web Browser | Edge,IE8-11, Google Chrome , Firefox ,Safari |
| CMS Software | Support Windows 7/ Windows 8/Windows 10/Windows 11/MAC OS |
| Cloud Support | Yes |
| Smart Phone | iPhone, iPad, Android, Android Pad |
| POE | N/A |
| WIFI | N/A |
| Storage | |
| Interface Type | 8 SATA Hard Disk Interface (3.5" SATA) |
| Capacity | Up to 10 TB capacity for each HDD |
| eSATA | 1 eSATA |
| General | |
| Language UI | Simplified Chinese, Traditional Chinese,English, Russian, Deutsch, French, Portuguese, Spanish, Italian, Korean, Japanese, Ukrainian, Pulaski, Dutch, Greek, Czech, Arabic |
| USB Interface | 2 x USB2.0, Rear panel: 1 x USB3.0 |
| RS485 | 1 port |
| Power consumption | 100-240VAC , 50/60Hz ≤20W(Without Hard Disk and POE) |
| Working Environment | -10°C~55°C, 10%~90%(humidity) |
| Dimension(W×D×H) | 440mm × 428mm × 90mm (17.3" × 16.8" × 3.5") |
| Weight | ≤ 7.5Kg(without HDD) |



www.iid2secure.nl
 Extra Benefits, Less Price
 Finestrat,19, 03530 La Nucia, Alicante, Spain
 © IID Secure Tech S.L.U. 2019

Heemdtedestraat 16 Amsterdam, Netherlands
Support@iid2secure.nl
 +31614762425
 Data Subject to change without notice